

#8d

**WOODBURY COUNTY BOARD OF SUPERVISORS AGENDA ITEM(S) REC**

Date: 4/28/2016

Weekly Agenda Date: 5/03/2016

ELECTED OFFICIAL / DEPARTMENT HEAD / CITIZEN: Ed Gilliland

WORDING FOR AGENDA ITEM: Follow up as requested by Board AED, CPR and First Aid Supplies

**ACTION REQUIRED:**

Approve Ordinance

Approve Resolution

Approve Motion

Give Direction

Other: Informational

Attachments

**EXECUTIVE SUMMARY:** Follow up on AED, CPR and First Aid supplies. Discussion and action

**BACKGROUND:** Our grant funding source for the AED, CPR and First Aid Supplies has ended and we would like direction on a new funding source or proper allocation to the individual departments.

**FINANCIAL IMPACT:** Over the next 2 fiscals years we will incur cost in replacing supplies for AED pads and batteries, please see the attached detail. This includes a new AED for Veteran Affairs, they do not have one. New First Aid Kits (contents attached) to replace expired kits. We will also incur expense for CPR supplies and teaching supplies to obtain American Heart Association accreditation.

**IF THERE IS A CONTRACT INVOLVED IN THE AGENDA ITEM, HAS THE CONTRACT BEEN SUBMITTED AT LEAST ONE WEEK PRIOR AND ANSWERED WITH A REVIEW BY THE COUNTY ATTORNEY'S OFFICE?**

Yes  No

**RECOMMENDATION:**

**ACTION REQUIRED / PROPOSED MOTION:** Motion to approve new funding source.

*Approved by Board of Supervisors April 5, 2016.*

The number of AED 's in the County are as follows:

7 in the Courthouse  
4 in Trosper Hoyt  
3 in the LEC  
5 in Conservation  
4 in Secondary Roads

There are **NO** AEDs at the Tri View building.

Each AED contains defibrillator pads. Most have both child and adult pads. 4 of them have "keys" to convert the adult pads to child pads. The packs also contain batteries to deliver the shock if needed. Secondary Roads has 3 unique machines with the batteries and pads combined.

All but one of the AED pads (Conservation) in the County are expired. There is immediate need to replace these from a safety and liability perspective. Expired pads become a liability issue if they were used and the resulting action was not successful. AED pads have a shelf life of two years. All the AED batteries will expire over the next 2 years as well. Battery shelf life is 2 to 4 years.

20 sets of adults pads @ \$46.95	= \$939.00
16 sets of child pads @ \$75.71	= \$1211.36
19 AED batteries @ \$138	= \$2622.00
3 Combo Battery/Pad for Sec. Roads	= \$975.00
20 First Aid Kits @ 15.50	= \$310.00
45 CPR cards @ \$6.00	= \$270
8 CPR Rosters @ \$10.00	= \$80
Est \$150 CPR misc supplies	= \$150
Refurbished AED for VA	= <u>\$795.00</u>
	\$7352.36